Iowa Ambient Air Monitoring Annual Report: 2013

Air Quality Bureau Iowa Department of Natural Resources

Table of Contents

Iowa Ambient Air Monitoring Annual Network Report: 2013	3
Introduction	3
Exceedances of National Ambient Air Quality Standards (NAAQS) in 2013	4
NAAQS Exceedance Counts at Iowa Monitoring Sites During 2013	5
PM _{2.5} NAAQS Exceedances Measured in 2013	6
PM ₁₀ NAAQS Exceedances Measured in 2013	6
SO_2 NAAQS Exceedances in 2013	7
2013 Ambient Monitoring Network Changes	8
2013 Ambient Monitoring Network	9
2013 Monitoring Site Locations	
Monitoring Locations in Cedar Rapids	
Monitoring Locations in Davenport	
Monitoring Locations in Des Moines/Clive	
Ozone Monitoring Sites	14
Ozone Monitoring Locations	15
Comparison of 2013 Ozone Data with National Ambient Air Quality Standards	16
2013 Data Completeness – Ozone	
PM _{2.5} Monitoring Sites	
PM _{2.5} Monitoring Locations	19
Comparison of 2013 PM _{2.5} Data with National Ambient Air Quality Standards	20
2013 Data Completeness – PM _{2.5}	21
PM ₁₀ Monitoring Sites	22
PM ₁₀ Monitoring Locations	23
Comparison of 2013 PM ₁₀ Data with the National Ambient Air Quality Standard	24
2013 Data Completeness – PM ₁₀	25
Sulfur Dioxide Monitoring Sites	
Sulfur Dioxide Monitoring Locations	27
Comparison of 2013 Sulfur Dioxide Data with National Ambient Air Quality Standards	
2013 Data Completeness – Sulfur Dioxide	29
Carbon Monoxide Monitoring Sites	
Carbon Monoxide Monitoring Locations	31
Comparison of 2013 Carbon Monoxide Data with National Ambient Air Quality Standards	
2013 Data Completeness – Carbon Monoxide	
Nitrogen Dioxide Monitoring Sites	
Nitrogen Dioxide Monitoring Locations	
Comparison of 2013 Nitrogen Dioxide Data with the National Ambient Air Quality Standard	
2013 Data Completeness – Nitrogen Dioxide	
Lead Monitoring Sites	
Lead Monitoring Locations	
Comparison of 2013 Lead Data with the National Ambient Air Quality Standard	40
2013 Data Completeness – Lead	41
Appendix A	42
Ozone	42
PM _{2.5}	42
PM ₁₀	43
Sulfur Dioxide	43
Carbon Monoxide	44
Nitrogen Dioxide	
Lead	44

Iowa Ambient Air Monitoring Annual Network Report: 2013

Iowa Department of Natural Resources - Air Quality Bureau – Ambient Air Monitoring Group

Introduction

The purpose of this review is to compare the maximum values of ambient air monitoring data gathered in the state of Iowa during 2013 to the level of the National Ambient Air Quality Standards (NAAQS) established by the Environmental Protection Agency (EPA). The EPA has established NAAQS for seven "criteria" pollutants: particulate matter with a diameter less than 10 microns (PM_{10}), particulate matter with a diameter less than 2.5 microns ($PM_{2.5}$), sulfur dioxide (SO_2), ozone (O_3), nitrogen dioxide (NO_2), carbon monoxide (CO) and lead. Continuous monitoring methods have been approved by EPA for all criteria pollutants except lead. Filter samplers and laboratory filter weighing procedures have been approved by EPA for PM_{2.5} and PM₁₀. All data summarized in this review was obtained using methods that are currently approved by EPA for NAAQS comparisons.

This report is divided into two parts. The first part is an executive summary, indicating where exceedances of the NAAQS were measured in Iowa during 2013. A more comprehensive review, which includes the location and summary data for each monitor in the network, is included in the second part.

Gaseous pollutant monitors (ozone, nitrogen dioxide, sulfur dioxide, and carbon monoxide) provide hourly values and operate 24 hours a day, seven days a week. Most ozone monitors are operated only when ozone levels are highest, from April through October. The ozone monitor located at the multi-pollutant site in Davenport operates year-round to establish ozone trends in cooler temperatures. Particulate filter samplers run for 24 hours at a time and collect one filter per day. Most PM₁₀ and PM_{2.5} filter based monitors are operated at a sampling frequency of one sample every third day. Some particulate monitoring sites are run at frequencies greater than this nominal frequency if they are located in highly populated areas, near pollution sources or if pollutant levels are close to health standards. On March 18, 2013, EPA's new annual PM2.5 standard became effective. All annual PM2.5 data in this report is compared to the new standard. This difference needs to be considered when comparing previous *Iowa Ambient Air Monitoring Reports*.

Incomplete data may skew the summary statistics for a monitor. In order to alert the reader to incomplete data problems, data completeness statistics have been provided for each monitor. If a monitor collected all of the scheduled samples, then it has an associated data completeness of 100%. If quarterly data capture falls below 75% in any quarter of the year, then the data set may not adequately capture the seasonal variability of the data. In these cases, the bar representing the comparison of the monitor data to the NAAQS is checkered.

In 2013 there were 83 NAAQS exceedances in the state of Iowa. Fourteen of the exceedances were associated with the 24-hour $PM_{2.5}$ standard, one was associated with the 24-hour PM_{10} standard and 67 were exceedances of the 1-hour sulfur dioxide standard. All of these exceedances are detailed in this report.


Data used to create this report were gathered by three organizations under contract with the Iowa Department of Natural Resources: the State of Iowa Hygienic Laboratory, the Linn County Public Health Department, and the Polk County Public Works Air Quality Division. Contract funds were provided by US EPA, the Iowa legislature, and regulated industry. Air pollution data for Iowa and all other states are available online at: <u>http://www.epa.gov/airdata/</u>. Additional information on the NAAQS is available at: <u>http://www.epa.gov/airdata/</u>.

Exceedances of National Ambient Air Quality Standards (NAAQS) in 2013

Pollutant	Averaging Period	Exceedance Level	Units	Number of Exceedances
Ozone	8hr	76	ppb	0
PM2.5	24hr	35.5	Micrograms per cubic meter	15
PIVIZ.5	Annual	12.05	Micrograms per cubic meter	0
PM10	24hr	155	Micrograms per cubic meter	1
Culfur diavida	1hr	75.5	ppb	67
Sulfur dioxide	3hr	0.55	ррт	0
Carbon monovido	1hr	35.5	ррт	0
Carbon monoxide	8hr	9.5	ррт	0
Nitrogen dievide	Annual	0.0535	ррт	0
Nitrogen dioxide	1hr	100.5	ррb	0
Lead	Rolling 3-month average	0.155	micrograms per cubic meter	0

*NAAQS Exceedance Counts at Iowa Monitoring Sites During 2013

(Values for individual sites indicated in parentheses)



PM_{2.5} NAAQS Exceedances Measured in 2013

Monitoring Site	Site ID	Exceedance Date	Concentration (µg/m ³)
Bryant Elementary	191930019	2/24/13	43.5
Muscatine High E. Campus-Rooftop	191390015	3/4/13	47.3
Muscatine High E. Campus-Rooftop	191390015	3/17/13	40.1
Muscatine High E. Campus-Rooftop	191390015	5/26/13	39.0
Muscatine High E. Campus-Rooftop	191390015	12/2/13	39.8
Davenport, Jefferson School	191630015	12/2/13	38.5
Davenport, Blackhawk Foundry	191630019	12/2/13	40.3
Muscatine High E. Campus-Rooftop	191390015	12/3/13	38.0
Davenport, Blackhawk Foundry	191630019	12/3/13	39.6
Davenport, Hayes Elementary	191630020	12/3/13	38.6
Davenport, Adams Elementary	191630018	12/3/13	35.7
Muscatine, Franklin School	191390018	12/3/13	36.5
Muscatine, Greenwood Cemetery	191390016	12/3/13	35.6
Cedar Rapids, Public Health	191130040	12/3/13	43.2
Clinton, Chancy Park	190450021	12/3/13	37.4

(15 PM_{2.5} Exceedances Recorded in 2013)

PM₁₀ NAAQS Exceedances Measured in 2013

(1 PM₁₀ Exceedance Recorded in 2013)

Monitoring Site	Site ID	Exceedance Date	Concentration (µg/m ³)
Linwood Mining	191630017	9/27/13	156.0

SO₂ NAAQS Exceedances in 2013

(67 SO₂ Exceedances Recorded in 2013; all recorded at Muscatine sites)

Date	Greenwood Cemetery (ppb)	Muscatine High E. Campus-Trailer (ppb)	Musser Park (ppb)	Date	Greenwood Cemetery (ppb)	Muscatine High E. Campus-Trailer (ppb)	Musser Park (ppb)
1/8/13			100.8	6/9/13			96.2
1/10/13		92.2		6/14/13		86.6	
1/11/13			145.8	6/20/13	83.7		
2/10/13			119.1	6/21/13		122.3	94.6
3/3/13		139.2		6/22/13			159
3/4/13		157.7		7/13/13		91.6	
3/7/13		156.9		7/29/13		95.8	
3/8/13		110		8/17/13		164.8	
3/17/13		112.8		8/20/13			102.5
3/22/13		136		8/25/13			150.5
4/5/13		146.8		9/3/13		160.9	77.2
4/6/13			90.8	9/6/13		96.2	102.7
4/7/13		222.5		9/8/13		146.6	
4/14/13	94.3	109.8	178.5	9/17/13		109.4	
4/20/13		95.2		9/23/13		110	
4/22/13			143.8	9/24/13		88.5	
4/26/13			75.7	9/27/13			94.8
4/29/13	106.5		132.2	9/28/13			149.9
4/30/13			88.6	9/30/13			76.5
5/13/13			96.6	10/3/13			99.8
5/14/13			101.5	10/4/13			81.4
5/17/13		90.9	87	10/11/13	81.9		129.3
5/19/13			79.4	10/12/13			90.3
5/27/13		75.7		10/14/13		138	
5/29/13			188.5	11/4/13			155.6
5/30/13	104.8		237.1	11/5/13			111.4
5/31/13			133.1	11/8/13			131.1
6/4/13		198.6		11/16/13			184.4
6/5/13		109.8		12/2/13		125.1	


2013 Ambient Monitoring Network Changes

Sites Added During 2013

Site	Name	City	County	Site Label	Start Date	Pollutants
191536001	Near Road NO2	Des Moines	Polk	Rollins Near Road NO2	1/1/2013	NO2


2013 Ambient Monitoring Network

Site ID	Name	City	Address	County	Site Label	Pollutants
190130009	Water Tower	Waterloo	Vine St. & Steely	Black Hawk	Waterloo, Water Tower	PM10, PM2.5
190170011	Waverly Airport	Waverly	Waverly Airport	Bremer	Waverly, Airport	Ozone
190330018	Holcim Cement	Mason City	17th St. & Washington St.	Cerro Gordo	Mason City, Holcim Cement	PM10
190330020	Washington School	Mason City	700 N. Washington Avenue	Cerro Gordo	Mason City, Washington Sch.	PM10
190450019	Chancy Park	Clinton	23rd & Camanche	Clinton	Clinton, Chancy Park	PM2.5, SO2
190450021	Rainbow Park	Clinton	Roosevelt St.	Clinton	Clinton, Rainbow Park	Ozone, PM2.5
190550001	Backbone State Park	not in a city	Fish Hatchery Backbone State Park	Delaware	Backbone State Park	PM10, PM2.5
190850007	Forestry Office	Pisgah	206 Polk St.	Harrison	Pisgah, Forestry Office	Ozone
190851101	Highway Maintenance Shed	Pisgah	1575 Hwy 183	Harrison	Pisgah, Highway Maintenance	Ozone
191032001	Hoover Elementary	Iowa City	2200 East Court	Johnson	Iowa City, Hoover Sch.	PM10, PM2.5
191110008	Fire Station	Keokuk	111S. 13th St.	Lee	Keokuk, Fire Station	PM2.5
191130028	Kirkwood College	Cedar Rapids	6301 Kirkwood Blvd SW (Iowa Hall)	Linn	Cedar Rapids, Kirkwood Coll.	Ozone
191130031	Scottish Rite Temple	Cedar Rapids	616 A Ave.	Linn	Cedar Rapids, Scottish Rite Temple	SO2
191130033	Coggon Elementary School	Coggon	408 E Linn St.	Linn	Coggon, Coggon Sch.	Ozone
191130040	Public Health	Cedar Rapids	500 11th St. NW	Linn	Cedar Rapids, Public Health	CO, SO2, Ozone, PM10, PM2.5
191370002	Viking Lake State Park	not in a city	2780 Viking Lake Road	Montgomery	Viking Lake State Park	Ozone, PM10, PM2.5
191390015	Muscatine High E. Campus-Rooftop	Muscatine	1409 Wisconsin	Muscatine	Muscatine, Muscatine High E. Campus-Rooftop	PM10, PM2.5
191390016	Greenwood Cemetery	Muscatine	Fletcher St. & Kimble St.	Muscatine	Muscatine, Greenwood Cemetery	PM2.5, SO2
191390018	Franklin School	Muscatine	210 Taylor St.	Muscatine	Muscatine, Franklin Sch.	PM2.5
191390019	Muscatine High E. Campus-Trailer	Muscatine	1409 Wisconsin	Muscatine	Muscatine, Muscatine High E. Campus-Trailer	SO2
191390020	Musser Park	Muscatine	Oregon St. & Earl Ave.	Muscatine	Muscatine, Musser Park	PM2.5, SO2
191471002	Iowa Lakes College	Emmetsburg	Iowa Lakes Community College - S Camp	Palo Alto	Emmetsburg, Iowa Lakes Coll.	Ozone, PM10, PM2.5
191530030	Health Department	Des Moines	1907 Carpenter	Polk	Des Moines, Health Dept.	CO, NO2, SO2, Ozone, PM10, PM2.5
191532510	Indian Hills Jr. High School	Clive	9401 Indian Hills	Polk	Clive, Indian Hills Jr. High Sch.	PM10, PM2.5
191536011	Rollins Ave	Des Monies	6011 Rollins Ave	Polk	Des Moines, Rollins Ave	NO2
191550009	Franklin School	Council Bluffs	3130 C Ave.	Pottawattamie	Council Bluffs, Franklin Sch.	PM10, PM2.5
191550011	Griffin Pipe	Council Bluffs	8th Avenue and 27th St	Pottawattamie	Council Bluffs, Griffin Pipe	Pb
191630014	Scott County Park	Davenport	Scott County Park	Scott	Scott County Park	Ozone
191630015	Jefferson School	Davenport	10th St. & Vine St.	Scott	Davenport, Jefferson Sch.	CO, NO2, SO2, Ozone, PM10, PM2.5
191630017	Linwood Mining	Buffalo	11100 110th Ave.	Scott	Buffalo, LW Mining	PM10
191630018	Adams School	Davenport	3029 N Division St.	Scott	Davenport, Adams Sch.	PM10, PM2.5
191630019	Blackhawk Foundry	Davenport	300 Wellman St.	Scott	Davenport, Blackhawk Foundry	PM10, PM2.5
191630020	Hayes School	Davenport	622 South Concord St	Scott	Davenport, Hayes Elementary	PM2.5
191690011	City Hall	Slater	105 Greene	Story	Slater, City Hall	Ozone
191770006	Lake Sugema	not in a city	24430 Lacey Trl, Keosauqua Lake Sugema	Van Buren	Keosauqua, Lake Sugema	NO2, Ozone, SO2, PM10, PM2.5
191810022	Lake Ahquabi State Park	Indianola	1650 118th Ave.	Warren	Indianola, Lake Ahquabi	Ozone
191930019	Bryant School	Sioux City	821 30th St.	Woodbury	Sioux City, Bryant Sch.	PM10, PM2.5
191930020	George Neal North	Sergeant Bluff	1221 260th St, Sergeant Bluff, IA	Woodbury	Sergeant Bluff, George Neal North	SO2




2013 Monitoring Site Locations (38)

Monitoring Locations in Cedar Rapids



Monitoring Locations in Davenport




Monitoring Locations in Des Moines/Clive




Site	Name	City	County	Site Label
190170011	Waverly Airport	Waverly	Bremer	Waverly, Airport
190450021	Rainbow Park	Clinton	Clinton	Clinton, Rainbow Park
190850007	Forestry Office	Pisgah	Harrison	Pisgah, Forestry Office
190851101	Highway Maintenance Shed	Pisgah	Harrison	Pisgah, Highway Maintenance
191130028	Kirkwood College	Cedar Rapids	Linn	Cedar Rapids, Kirkwood Coll.
191130033	Coggon Elementary School	Coggon	Linn	Coggon, Coggon Sch.
191130040	Public Health	Cedar Rapids	Linn	Cedar Rapids, Public Health
191370002	Viking Lake State Park	not in a city	Montgomery	Viking Lake State Park
191471002	Iowa Lakes College	Emmetsburg	Palo Alto	Emmetsburg, Iowa Lakes Coll.
191530030	Health Department	Des Moines	Polk	Des Moines, Health Dept.
191630014	Scott County Park	Davenport	Scott	Scott County Park
191630015	Jefferson School	Davenport	Scott	Davenport, Jefferson Sch.
191690011	City Hall	Slater	Story	Slater, City Hall
191770006	Lake Sugema	not in a city	Van Buren	Keosauqua, Lake Sugema
191810022	Lake Ahquabi State Park	Indianola	Warren	Indianola, Lake Ahquabi

Ozone Monitoring Sites




Ozone Monitoring Locations



Comparison of 2013 Ozone Data with National Ambient Air Quality Standards

About This Chart

2013 Data Completeness – Ozone





About This Chart

PM_{2.5} Monitoring Sites

Site	Name	City	County	Site Label
190130009	Water Tower	Waterloo	Black Hawk	Waterloo, Water Tower
190450019	Chancy Park	Clinton	Clinton	Clinton, Chancy Park
190450021	Rainbow Park	Clinton	Clinton	Clinton, Rainbow Park
190550001	Backbone State Park	not in a city	Delaware	Backbone State Park
191032001	Hoover Elementary	Iowa City	Johnson	Iowa City, Hoover Sch.
191110008	Fire Station	Keokuk	Lee	Keokuk, Fire Station
191130040	Public Health	Cedar Rapids	Linn	Cedar Rapids, Public Health
191370002	Viking Lake State Park	not in a city	Montgomery	Viking Lake State Park
191390015	Muscatine High E. Campus-Rooftop	Muscatine	Muscatine	Muscatine, Muscatine High E. Campus-Rooftop
191390016	Greenwood Cemetery	Muscatine	Muscatine	Muscatine, Greenwood Cemetery
191390018	Franklin School	Muscatine	Muscatine	Muscatine, Franklin Sch.
191390020	Musser Park	Muscatine	Muscatine	Muscatine, Musser Park
191471002	Iowa Lakes College	Emmetsburg	Palo Alto	Emmetsburg, Iowa Lakes Coll.
191530030	Health Department	Des Moines	Polk	Des Moines, Health Dept.
191532510	Indian Hills Jr. High School	Clive	Polk	Clive, Indian Hills Jr. High Sch.
191550009	Franklin School	Council Bluffs	Pottawattamie	Council Bluffs, Franklin Sch.
191630015	Jefferson School	Davenport	Scott	Davenport, Jefferson Sch.
191630018	Adams School	Davenport	Scott	Davenport, Adams Sch.
191630019	Blackhawk Foundry	Davenport	Scott	Davenport, Blackhawk Foundry
191630020	Hayes School	Davenport	Scott	Davenport, Hayes Elementary
191770006	Lake Sugema	not in a city	Van Buren	Keosauqua, Lake Sugema
191930019	Bryant School	Sioux City	Woodbury	Sioux City, Bryant Sch.


PM_{2.5} Monitoring Locations





Comparison of 2013 PM_{2.5} Data with National Ambient Air Quality Standards

2013 Data Completeness – PM_{2.5}




One sample every three (3) days


Daily samples

PM₁₀ Monitoring Sites

Site	Name	City	County	Site Label
190130009	Water Tower	Waterloo	Black Hawk	Waterloo, Water Tower
190330018	Holcim Cement	Mason City	Cerro Gordo	Mason City, Holcim Cement
190330020	Washington School	Mason City	Cerro Gordo	Mason City, Washington Sch.
190550001	Backbone State Park	not in a city	Delaware	Backbone State Park
191032001	Hoover Elementary	lowa City	Johnson	Iowa City, Hoover Sch.
191130040	Public Health	Cedar Rapids	Linn	Cedar Rapids, Public Health
191370002	Viking Lake State Park	not in a city	Montgomery	Viking Lake State Park
191390015	Muscatine High E. Campus-Rooftop	Muscatine	Muscatine	Muscatine, Muscatine High E. Campus-Rooftop
191471002	Iowa Lakes College	Emmetsburg	Palo Alto	Emmetsburg, Iowa Lakes Coll.
191530030	Health Department	Des Moines	Polk	Des Moines, Health Dept.
191532510	Indian Hills Jr. High School	Clive	Polk	Clive, Indian Hills Jr. High Sch.
191550009	Franklin School	Council Bluffs	Pottawattamie	Council Bluffs, Franklin Sch.
191630015	Jefferson School	Davenport	Scott	Davenport, Jefferson Sch.
191630017	Linwood Mining	Buffalo	Scott	Buffalo, LW Mining
191630018	Adams School	Davenport	Scott	Davenport, Adams Sch.
191630019	Blackhawk Foundry	Davenport	Scott	Davenport, Blackhawk Foundry
191770006	Lake Sugema	not in a city	Van Buren	Keosauqua, Lake Sugema
191930019	Bryant School	Sioux City	Woodbury	Sioux City, Bryant Sch.


PM₁₀ Monitoring Locations





Comparison of 2013 PM₁₀ Data with the National Ambient Air Quality Standard


2013 Data Completeness – PM₁₀




About This Chart

Sulfur Dioxide Monitoring Sites

Site	Name	City	County	Site Label
190450019	Chancy Park	Clinton	Clinton	Clinton, Chancy Park
191130031	Scottish Rite Temple	Cedar Rapids	Linn	Cedar Rapids, Scottish Rite Temple
191130040	Public Health	Cedar Rapids	Linn	Cedar Rapids, Public Health
191390019	Muscatine High E. Campus-Trailer	Muscatine	Muscatine	Muscatine, Muscatine High E. Campus-Trailer
191390016	Greenwood Cemetery	Muscatine	Muscatine	Muscatine, Greenwood Cemetery
191390020	Musser Park	Muscatine	Muscatine	Muscatine, Musser Park
191530030	Health Department	Des Moines	Polk	Des Moines, Health Dept.
191630015	Jefferson School	Davenport	Scott	Davenport, Jefferson Sch.
191770006	Lake Sugema	not in a city	Van Buren	Keosauqua, Lake Sugema
191930020	George Neal North	Sergeant Bluff	Woodbury	Sergeant Bluff, George Neal North




Sulfur Dioxide Monitoring Locations



Comparison of 2013 Sulfur Dioxide Data with National Ambient Air Quality Standards


About This Chart

2013 Data Completeness – Sulfur Dioxide




Carbon Monoxide Monitoring Sites


Site	Name	City	County	Site Label
191130040	Public Health	Cedar Rapids	Linn	Cedar Rapids, Public Health
191530030	Health Department	Des Moines	Polk	Des Moines, Health Dept.
191630015	Jefferson School	Davenport	Scott	Davenport, Jefferson Sch.



Carbon Monoxide Monitoring Locations



Comparison of 2013 Carbon Monoxide Data with National Ambient Air Quality Standards





2013 Data Completeness – Carbon Monoxide

Nitrogen Dioxide Monitoring Sites

Site	Name	City	County	Site Label
191530030	Health Department	Des Moines	Polk	Des Moines, Health Dept.
191536011	Des Moines, Near-Road NO ₂	Des Moines	Polk	Des Moines, Near-Road NO ₂
191630015	Jefferson School	Davenport	Scott	Davenport, Jefferson Sch.
191770006	Lake Sugema	not in a city	Van Buren	Keosauqua, Lake Sugema

Nitrogen Dioxide Monitoring Locations





Comparison of 2013 Nitrogen Dioxide Data with the National Ambient Air Quality Standard

Table of Contents

About This Chart

2013 Data Completeness – Nitrogen Dioxide





Table of Contents

About This Chart


Lead Monitoring Sites

Site	Name	City	County	Site Label
191550011	Griffin Pipe	Council Bluffs	Pottawattamie	Council Bluffs, Griffin Pipe

Lead Monitoring Locations



Comparison of 2013 Lead Data with the National Ambient Air Quality Standard




Maximum 3 Month Average

Table of Contents

About This Chart

2013 Data Completeness – Lead



Council Bluffs, Griffin Pipe

About This Chart

Appendix A Additional Chart Information

Listed below is additional information that may be useful in interpreting the charts contained in this review

Ozone

Comparison of 2012 Ozone Data with National Ambient Air Quality Standards

This chart shows the highest eight hour ozone average (expressed as a percentage of the 76 ppb eight-hour NAAQS) for each ozone monitor operated in 2013.

Back to Chart

Data Completeness – Ozone

This chart shows the total number of valid ozone monitoring days (expressed as a percentage of the total number of days in ozone season) for each ozone monitor operated in 2013. According to EPA guidelines, an ozone monitoring day is considered valid if at least 75% of the 24 8-hour averages for the day are valid. An 8-hour average is valid if at least 75% of the hourly average values for the 8-hour period are available. In the event that less than 75% of the 8-hour averages are recorded, a day is also deemed valid if the daily maximum 8-hour average for that day exceeds the NAAQS (\geq 76 ppb). Ozone season runs from April through October, and amounts to 214 possible sampling days. Ozone monitors that recorded data for all 214 days of the season would have a data capture rate of 100%.

Back to Chart

PM_{2.5}

Comparison of 2013 PM_{2.5} Data with National Ambient Air Quality Standards

This chart shows the highest 24-hour value (expressed as a percentage of the 35.5 μ g/m³ 24-hour NAAQS), and the annual average (expressed as a percentage of the 12.05 μ g/m³ annual NAAQS) for each PM_{2.5} monitor operated in 2013. If a monitoring site had collocated PM_{2.5} monitors, the data from the primary monitor was chosen. If data from the primary monitor was missing, the value from the secondary monitor was augmented into the dataset.

Back to Chart

Data Completeness – PM_{2.5}

This chart shows the fraction of scheduled sampling days for each $PM_{2.5}$ monitor operated in 2013 where a valid $PM_{2.5}$ sample was collected. During 2013 $PM_{2.5}$ samplers in Iowa were scheduled to operate at a sampling frequency of either one sample every third day (122 scheduled samples) or one sample every day (365 scheduled samples). The sampling frequency of each monitor is indicated by the color of the bar. EPA allows consolidate of site data from collocated filter monitors. To consolidate data for two monitors, the data from the primary monitor was chosen. If data from the primary monitor was missing, the value from the

secondary monitor was substituted into the dataset. Continuous PM2.5 monitors operated in Iowa are used for real-time reporting only and are not summarized in this report.

Back to Chart

PM₁₀

Comparison of 2013 PM₁₀ Data with National Ambient Air Quality Standards

This chart shows the highest 24-hour value (expressed as a percentage of the 155 μ g/m³ 24-hour NAAQS) for each PM₁₀ monitor operated in 2013. Buffalo, Linwood Mining has collocated BAMs and a filter monitor. EPA allows consolidation of site data from BAM monitors and also allows consolidation of site data from filter samplers. Therefore two concentrations are represented in this report. To consolidate data for two monitors, the data from the primary monitor was chosen. If data from the primary monitor was missing, the value from the secondary monitor was substituted into the dataset. Data from BAM monitors and filter monitors are consolidated separately.

Back to Chart

Data Completeness – PM₁₀

This chart shows the fraction of scheduled sampling days for each PM_{10} monitor operated in 2013 where a valid PM_{10} sample was collected. During 2013 PM_{10} samplers in Iowa were scheduled to operate at a frequency of one sample every third day (122 scheduled samples), one sample every other day (182 scheduled samples) or one sample every day (365 scheduled samples). The sampling frequency of each monitor is indicated by the color of the bar in the chart.

Back to Chart

Sulfur Dioxide

Comparison of 2013 Sulfur Dioxide Data with National Ambient Air Quality Standards

This chart shows the highest 1-hour value (expressed as a percentage of the 75.5 ppb 1-hour NAAQS), and highest 3-hour value (expressed as a percentage of the 0.55 ppm 3-hour NAAQS) for each sulfur dioxide monitor operated in 2013.

Back to Chart

Data Completeness – Sulfur Dioxide

This chart shows the total number of hourly sulfur dioxide values (expressed as a percentage of the total number of hours in 2013) for each sulfur dioxide monitor that operated in 2013. A sulfur dioxide monitor that recorded data for all 8760 hours during 2013 would have a data capture rate of 100%.

Back to Chart

Carbon Monoxide

Comparison of 2013 Carbon Monoxide Data with National Ambient Air Quality Standards

This chart shows the highest 1-hour value (expressed as a percentage of the 35.5 ppm 1-hour NAAQS) and the highest 8-hour value (expressed as a percentage of the 9.5 ppm 8 hour NAAQS) for each carbon monoxide monitor operated in 2013.

Back to Chart

Data Completeness – Carbon Monoxide

This chart shows the total number of hourly carbon monoxide values (expressed as a percentage of the total number of hours in 2013). A carbon monoxide monitor that recorded data for all 8760 hours during 2013 would have a data capture rate of 100%.

Back to Chart

Nitrogen Dioxide

Comparison of 2013 Nitrogen Dioxide Data with National Ambient Air Quality Standards

This chart shows the maximum 1-hour value (expressed as a percentage of the 100.5 ppb 1-hour NAAQS), and the annual average (expressed as a percentage of the 0.0535 ppm annual NAAQS) for each nitrogen dioxide monitoring site that operated in 2013.

Back to Chart

Data Completeness – Nitrogen Dioxide

This chart shows the total number of hourly nitrogen dioxide values (expressed as a percentage of the total number of hours in 2013). A nitrogen dioxide monitor that recorded data for all 8760 hours during 2013 would have a data capture rate of 100%.

Back to Chart

Lead

Comparison of 2013 Lead Data with National Ambient Air Quality Standards

This chart shows the maximum three month average (expressed as a percentage of the 0.155 μ g/m³ annual NAAQS) for each lead monitoring site that operated in 2013.

Back to Chart

Data Completeness – Lead

This chart shows the fraction of scheduled sampling days for each lead monitor operated in 2013 where a valid lead sample was actually collected. During 2013, lead samplers in Iowa were scheduled to operate at a one in three day sampling frequency (122 scheduled samples).

Back to Chart